

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 01-Nov-2018

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: AIRLIFT XCELENTE ODOR ELIMINATOR

Product Number: 6019
Recommended Use: Air freshener

Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.

1110 Spartan Drive

Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Flammable Aerosols Category 1
Gases Under Pressure Liquefied gas

GHS Label Elements

Signal Word:

Symbols:

Danger

Hazard Statements:

Extremely flammable aerosol.

Contains gas under pressure; may explode if heated

Precautionary Statements:

Prevention: Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal

Response:

-Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage: Protect from sunlight. Do not expose to temperatures exceeding 122°F (50°C) Store in a

well-ventilated place

Disposal: Not Applicable

Hazards Not Otherwise Classified: Not Applicable

Revision Date: 01-Nov-2018

Other Information: • May cause skin irritation.

- May cause eye irritation.
- May be harmful if swallowed.
- Keep out of reach of children.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Butane	106-97-8	7-13
C13-14 Isoparaffin	64742-47-8	5-10
Propane	74-98-6	3-7
C10-C12 Alkane/Cycloalkane	64742-48-9	1-5
Polyglyceryl-3 Oleate	9007-48-1	0.1-1
Fatty Acid Amine Complex	PROPRIETARY	0.1-1
Sodium Benzoate	532-32-1	0.1-1
Fragrance	PROPRIETARY	0.1-1
Butylphenyl Methylpropinal	80-54-6	<0.1
Benzyl Salicylate	118-58-1	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

-Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Wash with soap and water. If skin irritation occurs: Get medical attention.

-Skin Contact: Wash with soap and water. If skin irritation occurs: Get medical attention. **-Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison control center or physician if you feel unwell.

-Ingestion: Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical attention if you feel unwell.

Note to Physicians: Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Water spray (fog), Foam

Specific Hazards Arising from the Extremely flammable aerosol. Exposure to high temperature may cause containers to burst.

Chemical: Bursting aerosol containers may be propelled from fire at high speed.

Hazardous Combustion Products: May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

mazardous definition in reducts. May include darbon monoxide darbon dioxide and other toxic gases of vapors.

Protective Equipment andWear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full **Precautions for Firefighters:**protective gear. Water may be used to cool closed containers to prevent pressure build-up

and possible auto ignition or explosion when exposed to extreme heat.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid contact with eyes and skin. Use personal protective equipment as required. Remove

all sources of ignition.

Environmental Precautions: Do not rinse spill onto the ground, into storm sewers or bodies of water.

Methods for Clean-Up: Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite)

and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Handle in accordance with good industrial hygiene and safety practice. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Wash thoroughly after

Revision Date: 01-Nov-2018

handling.

Storage Conditions: NFPA 30B Level 1 Aerosol. Do not store in direct sunlight or above 122 F° / 50 C°.

Exposure to high temperature may cause containers to burst. Keep out of the reach of children. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights,

electric motors and static electricity).

Suggested Shelf Life: Minimum of 2 years from date of manufacture.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Advice on Safe Handling:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Butane	STEL: 1000 ppm	(vacated) TWA: 800 ppm	TWA: 800 ppm
106-97-8		(vacated) TWA: 1900 mg/m ³	TWA: 1900 mg/m ³
Propane	: See Appendix F: Minimal	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6	Oxygen Content	TWA: 1800 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1800 mg/m ³
		(vacated) TWA: 1800 mg/m ³	

Engineering Controls: Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Personal Protective Equipment

Eye/Face Protection:

Skin and Body Protection:

Respiratory Protection:

Not required with expected use.

Not required with expected use.

Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General Hygiene Considerations: Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Aerosol
Color:	Colorless
Odor:	Pleasant
pH:	6.0-8.0
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	100 °C / 212 °F (Product without propellant)
Flash Point:	< -18 °C / < 0 °F Estimated
Evaporation Rate:	< 1 (Butyl acetate = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	0.83 (Product without propellant)
Solubility(ies):	Miscible in water
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

4 ^		REACTIVITY
7/1		

Reactivity: This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Revision Date: 01-Nov-2018

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

Conditions to Avoid: Extremes of temperature and direct sunlight. Strong oxidizing agents. Strong acids. **Incompatible Materials:**

Hazardous Decomposition

Products:

May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

-Eye Contact: Pain and redness. -Skin Contact: Drying of the skin.

Nasal discomfort and coughing. Intentional misuse by deliberately concentrating and -Inhalation:

inhaling contents may be harmful or fatal.

-Ingestion: Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Target Organ Effects: Central nervous system.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 50592 mg/kg ATEmix (dermal): 20932 mg/kg ATEmix (inhalation-gas): 1669319 mg/l

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
Water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available	
Butane 106-97-8	Not Available	Not Available	= 658 g/m³ (Rat) 4 h	
C13-14 Isoparaffin 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h	
Propane 74-98-6	Not Available	Not Available	= 658 mg/L (Rat) 4 h	
C10-C12 Alkane/Cycloalkane 64742-48-9	> 6000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	> 8500 mg/m³ (Rat) 4 h	
Sodium Benzoate 532-32-1	= 4070 mg/kg (Rat)	Not Available	Not Available	
Butylphenyl Methylpropinal 80-54-6	= 1390 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	Not Available	
Benzyl Salicylate 118-58-1	= 2227 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	Not Available	

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
C13-14 Isoparaffin 64742-47-8	Not Available	45: 96 h Pimephales promelas mg/L LC50 flow-through 2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static	Not Available	Not Available
C10-C12 Alkane/Cycloalkane 64742-48-9	Not Available	2200: 96 h Pimephales promelas mg/L LC50	Not Available	Not Available

Sodium Benzoate Not Available 420 - 558: 96 h Pimephales Not Available 650: 48 h Daphnia magna promelas mg/L LC50 mg/L EC50 532-32-1 flow-through 100: 96 h Pimephales promelas mg/L LC50 static Butylphenyl Methylpropinal 2.2 - 4.6: 96 h Brachydanio 10.7: 48 h Daphnia magna Not Available Not Available rerio mg/L LC50 static 80-54-6 mg/L EC50

Persistence and Degradability:
Bioaccumulation:

No information available.
No information available.

Other Adverse Effects: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Dispose of in accordance with federal, state and local regulations.

Contaminated Packaging: Pressurized container: Do not pierce or burn, even after use. Dispose of in accordance with

federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT:

UN/ID No: UN1950
Proper Shipping Name: Aerosols
Hazard Class: 2.1

Special Provisions: This aerosol product meets the exception requirements of 49 CFR 173.306 when packed in

strong outer packaging. Such material may be reclassified as "Limited Quantity". Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation

Revision Date: 01-Nov-2018

expert for information specific to your situation.

IMDG:

UN/ID No: UN1950
Proper Shipping Name: Aerosols
Hazard Class: 2.1

Additional information: Limited Quantity

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:

Chronic Health Hazard:

No
Fire Hazard:

No
Sudden release of pressure hazard:

Reactive Hazard:

No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION

NFPA Health Hazards: 1 Flammability: 1 Instability: 0 Special: N/A

HMIS Health Hazards: 1 Flammability: 2 Physical Hazards: 2

Revision Date: 01-Nov-2018

Revision Date: 01-Nov-2018 Reasons for Revision: New product

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet