



Safety Data Sheet

Copyright,2024, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group:	22-4730-2	Version Number:	12.01
Issue Date:	07/17/24	Supersedes Date:	06/03/24

SECTION 1: Identification

1.1. Product identifier

3M™ Bathroom Cleaner Concentrate (Product No. 44, 3M™ Chemical Management Systems)

Product Identification Numbers

ID Number	UPC	ID Number	UPC
61-0000-6360-4		61-0000-6395-0	
61-0000-6424-8		70-0713-1361-6	500-48011-59164-8
70-0713-1362-4	500-48011-59165-5	70-0716-5993-5	500-51125-85929-0
70-0716-8326-5	500-48011-59164-8	70-0716-8327-3	500-48011-59165-5

7100002380, 7010342459, 7100135692, 7010364136, 7010299244, 7010386102, 7010364160

1.2. Recommended use and restrictions on use

Recommended use

Mild acid cleaner removes soap scum and scale from bathroom surfaces including plastic, porcelain, ceramic, fiberglass, floors and fixtures. Do not use on marble surfaces., This product meets Green Seal™ Standard GS-37 based on effective performance, concentrated volume, minimized/recycled packaging, and protective limits on: VOCs and human & environmental toxicity. Acute toxicity and skin/eye damage met requirements at the as-used dilution, as specified for closed dilution systems. GreenSeal.org., Hard Surface Cleaner

1.3. Supplier's details

MANUFACTURER:	3M
DIVISION:	Commercial Branding and Transportation Division
ADDRESS:	3M Center, St. Paul, MN 55144-1000, USA
Telephone:	1-888-3M HELPS (1-888-364-3577)

1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

SECTION 2: Hazard identification

2.1. Hazard classification

Serious Eye Damage/Irritation: Category 1.

Skin Corrosion/Irritation: Category 1C.

2.2. Label elements

Signal word

Danger

Symbols

Corrosion |

Pictograms



Hazard Statements

Causes severe skin burns and eye damage.

Precautionary Statements

Prevention:

Do not breathe dust/fume/gas/mist/vapors/spray.

Wear protective gloves, protective clothing, and eye/face protection.

Wash thoroughly after handling.

Response:

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Wash contaminated clothing before reuse.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Storage:

Store locked up.

Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

2.3. Hazards not otherwise classified

May cause chemical gastrointestinal burns.

21% of the mixture consists of ingredients of unknown acute dermal toxicity.

SECTION 3: Composition/information on ingredients

Ingredient	C.A.S. No.	% by Wt
Caprylyl Pyrrolidone	2687-94-7	10 - 30 Trade Secret *
MALIC ACID	6915-15-7	10 - 30 Trade Secret *
WATER	7732-18-5	10 - 30 Trade Secret *
Glycolic Acid	79-14-1	< 25 Trade Secret *
C9-11 Alcohols Ethoxylated	68439-46-3	1 - 5 Trade Secret *

Cocamine Oxide	61788-90-7	1 - 5 Trade Secret *
Fragrance	Trade Secret*	< 1 Trade Secret *
Acid Blue 9	3844-45-9	< 0.005 Trade Secret *
Yellow 6	2783-94-0	< 0.005 Trade Secret *

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Immediately flush with large amounts of water for at least 15 minutes. Remove contaminated clothing. Get immediate medical attention. Wash clothing before reuse.

Eye Contact:

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

If Swallowed:

Rinse mouth. Do not induce vomiting. Get immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Skin burns (localized redness, swelling, itching, intense pain, blistering, and tissue destruction). Serious damage to the eyes (corneal cloudiness, severe pain, tearing, ulcerations, and significantly impaired or loss of vision).

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Use a fire fighting agent suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance

Carbon monoxide
Carbon dioxide
Oxides of Nitrogen

Condition

During Combustion
During Combustion
During Combustion

5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for

information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. For large spills, if necessary, get assistance from professional spill clean up team. For small spills, carefully cover the spill with soda ash (sodium carbonate) or sodium bicarbonate. Work from around the perimeter inward. Avoid splashing. Add enough water to ease mixing and stir. Continue stirring and adding water and neutralizing agent until the reaction stops. Let cool before collecting. Or use a commercially available 'Acid spill' clean-up kit. Follow the kit directions exactly, as specified. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a metal container approved for use in transportation by appropriate authorities. The container must be lined with polyethylene plastic or contain a plastic drum liner made of polyethylene. Clean up residue with water. Cover, but do not seal for 48 hours. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. This product is not intended to be used without prior dilution as specified on the product label. Grounding or safety shoes with electrostatic dissipating soles (ESD) are not required with a chemical dispensing system. Keep out of reach of children. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Keep away from reactive metals (eg. Aluminum, zinc etc.) to avoid the formation of hydrogen gas that could create an explosion hazard.

7.2. Conditions for safe storage including any incompatibilities

Store away from strong bases.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	C.A.S. No.	Agency	Limit type	Additional Comments
Fragrance	Trade Secret	ACGIH	TWA(Vapor fraction):1 ppm;STEL(Vapor fraction):2 ppm	
Fragrance	Trade Secret	OSHA	TWA(as vapor):7 mg/m3(1 ppm)	

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

NOTE: When used with a chemical dispensing system as directed, special ventilation is not required. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)**Eye/face protection**

NOTE: When used with a chemical dispensing system as directed, eye contact with the concentrate is not expected to occur. The following protection(s) are recommended if the product is not used with a chemical dispensing system or if there is an accidental release, wear protective eye/face protection. Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Full Face Shield

Indirect Vented Goggles

Skin/hand protection

NOTE: When used with a chemical dispensing system as directed, skin contact with the concentrate is not expected to occur. If product is not used with a chemical dispensing system or if there is an accidental release:

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended: Polymer laminate

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary.

If product is not used with a chemical dispensing system or if there is an accidental release:

Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended:

Apron - polymer laminate

Respiratory protection

NOTE: When used with a chemical dispensing system as directed, respiratory protection is not required.

If product is not used with a chemical dispensing system or if there is an accidental release:

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties****Appearance**

Physical state

Liquid

Color

Green

Specific Physical Form:

Liquid

Odor

Moderate Floral

Odor threshold

No Data Available

pH	Approximately 0.9 - 1.5
Melting point	<i>Not Applicable</i>
Boiling Point	> 95 °F
Flash Point	No flash point
Evaporation rate	<i>No Data Available</i>
Flammability (solid, gas)	Not Applicable
Flammable Limits(LEL)	<i>Not Applicable</i>
Flammable Limits(UEL)	<i>Not Applicable</i>
Vapor Pressure	15 - 40 psia [@ 131 °F]
Vapor Density	<i>No Data Available</i>
Specific Gravity	Approximately 1.12 [Ref Std: WATER=1]
Solubility in Water	Complete
Solubility- non-water	<i>No Data Available</i>
Partition coefficient: n-octanol/ water	<i>No Data Available</i>
Autoignition temperature	<i>Not Applicable</i>
Decomposition temperature	<i>No Data Available</i>
Viscosity	Approximately 100 centipoise
Hazardous Air Pollutants	<i>No Data Available</i>
Molecular weight	<i>Not Applicable</i>
Volatile Organic Compounds	< 0.00001 % [Test Method:calculated per CARB title 2]
Percent volatile	<i>No Data Available</i>
VOC Less H2O & Exempt Solvents	<=0 g/l [Test Method:calculated per CARB title 2]

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong bases

10.6. Hazardous decomposition products

Substance

None known.

Condition

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin Contact:

Corrosive (Skin Burns): Signs/symptoms may include localized redness, swelling, itching, intense pain, blistering, ulceration, and tissue destruction.

Eye Contact:

Corrosive (Eye Burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

Ingestion:

May be harmful if swallowed.

Gastrointestinal Corrosion: Signs/symptoms may include severe mouth, throat and abdominal pain; nausea; vomiting; and diarrhea; blood in the feces and/or vomitus may also be seen.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >2,000 - =5,000 mg/kg
Caprylyl Pyrrolidone	Inhalation-Vapor	Professional judgement	LC50 estimated to be > 50 mg/l
Caprylyl Pyrrolidone	Dermal	Rat	LD50 > 4,000 mg/kg
Caprylyl Pyrrolidone	Ingestion	Rat	LD50 2,050 mg/kg
Glycolic Acid	Inhalation-Dust/Mist (4 hours)	Rat	LC50 2.5 mg/l
Glycolic Acid	Ingestion	Rat	LD50 2,040 mg/kg
MALIC ACID	Ingestion	Rat	LD50 3,500 mg/kg
MALIC ACID	Dermal	similar compounds	LD50 > 20,000 mg/kg
MALIC ACID	Inhalation-Dust/Mist (4 hours)	similar compounds	LC50 > 1.306 mg/l
Cocamine Oxide	Dermal		LD50 estimated to be 2,000 - 5,000 mg/kg
Cocamine Oxide	Ingestion	Rat	LD50 > 2,000 mg/kg
C9-11 Alcohols Ethoxylated	Dermal	similar compounds	LD50 > 2,000 mg/kg
C9-11 Alcohols Ethoxylated	Inhalation-Dust/Mist (4 hours)	similar compounds	LC50 > 1.6 mg/l
C9-11 Alcohols Ethoxylated	Ingestion	similar compounds	LD50 3,488 mg/kg
Fragrance	Dermal	Rabbit	LD50 > 7,940 mg/kg
Fragrance	Ingestion	Rat	LD50 2,830 mg/kg

Acid Blue 9	Ingestion	Rat	LD50 > 2,000 mg/kg
Acid Blue 9	Dermal	similar health hazards	LD50 estimated to be > 5,000 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Caprylyl Pyrrolidone	Rabbit	Corrosive
Glycolic Acid	Rabbit	Corrosive
MALIC ACID	Rabbit	Mild irritant
Cocamine Oxide	Professional judgement	Mild irritant
C9-11 Alcohols Ethoxylated	similar compounds	Minimal irritation
Fragrance	Rabbit	Mild irritant
Acid Blue 9	Human	Minimal irritation

Serious Eye Damage/Irritation

Name	Species	Value
Caprylyl Pyrrolidone	Rabbit	Corrosive
Glycolic Acid	Rabbit	Corrosive
MALIC ACID	similar compounds	Corrosive
Cocamine Oxide	Professional judgement	Corrosive
C9-11 Alcohols Ethoxylated	Professional judgement	Moderate irritant
Fragrance	Rabbit	Severe irritant
Acid Blue 9	Rabbit	Mild irritant

Skin Sensitization

Name	Species	Value
Caprylyl Pyrrolidone	Human and animal	Not classified
Glycolic Acid	Guinea pig	Not classified
MALIC ACID	similar compounds	Not classified
Cocamine Oxide	similar compounds	Not classified
C9-11 Alcohols Ethoxylated	Guinea pig	Not classified
Fragrance	Human and animal	Not classified
Acid Blue 9	Mouse	Not classified

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Caprylyl Pyrrolidone	In Vitro	Not mutagenic
Caprylyl Pyrrolidone	In vivo	Not mutagenic
Glycolic Acid	In Vitro	Not mutagenic
Glycolic Acid	In vivo	Not mutagenic
MALIC ACID	In Vitro	Not mutagenic
C9-11 Alcohols Ethoxylated	In Vitro	Not mutagenic
Fragrance	In Vitro	Not mutagenic
Acid Blue 9	In Vitro	Not mutagenic
Acid Blue 9	In vivo	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
Acid Blue 9	Ingestion	Rat	Not carcinogenic

Reproductive Toxicity**Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test Result	Exposure Duration
Caprylyl Pyrrolidone	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	1 generation
Caprylyl Pyrrolidone	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	1 generation
Caprylyl Pyrrolidone	Ingestion	Not classified for development	Rat	NOAEL 300 mg/kg/day	1 generation
Glycolic Acid	Ingestion	Not classified for development	Rat	NOAEL 150 mg/kg/day	during gestation
MALIC ACID	Ingestion	Not classified for female reproduction	Rat	NOAEL 10000 ppm in the diet	2 generation
MALIC ACID	Ingestion	Not classified for development	Rat	NOAEL 350 mg/kg/day	during organogenesis
MALIC ACID	Ingestion	Not classified for male reproduction	Rat	NOAEL 2,000 mg/kg/day	104 weeks
C9-11 Alcohols Ethoxylated	Dermal	Not classified for female reproduction	Rat	NOAEL 250 mg/kg/day	2 generation
C9-11 Alcohols Ethoxylated	Dermal	Not classified for development	Rat	NOAEL 250 mg/kg/day	2 generation
C9-11 Alcohols Ethoxylated	Dermal	Not classified for male reproduction	Rat	NOAEL 100 mg/kg/day	2 generation
Fragrance	Ingestion	Not classified for development	Rat	NOAEL 367.5 mg/kg/day	during organogenesis
Acid Blue 9	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	3 generation
Acid Blue 9	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	3 generation
Acid Blue 9	Ingestion	Not classified for development	Rat	NOAEL 2,000 mg/kg/day	during organogenesis

Target Organ(s)**Specific Target Organ Toxicity - single exposure**

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
Caprylyl Pyrrolidone	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	

MALIC ACID	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
Cocamine Oxide	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	
C9-11 Alcohols Ethoxylated	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
Caprylyl Pyrrolidone	Ingestion	liver hematopoietic system eyes kidney and/or bladder respiratory system	Not classified	Rat	NOAEL 492 mg/kg/day	90 days
Caprylyl Pyrrolidone	Ingestion	heart endocrine system gastrointestinal tract immune system nervous system	Not classified	Rat	NOAEL 1,000 mg/kg/day	28 days
Glycolic Acid	Inhalation	heart hematopoietic system liver immune system kidney and/or bladder respiratory system	Not classified	Rat	NOAEL 1.4 mg/l	2 weeks
Glycolic Acid	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 400 mg/kg/day	248 days
Glycolic Acid	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 600 mg/kg/day	90 days
Glycolic Acid	Ingestion	liver	Not classified	Other	LOAEL 97 mg/kg/day	59 days
Glycolic Acid	Ingestion	muscles nervous system	Not classified	Rat	NOAEL 600 mg/kg/day	90 days
Glycolic Acid	Ingestion	respiratory system	Not classified	Dog	NOAEL 500 mg/kg/day	119 days
MALIC ACID	Ingestion	heart endocrine system hematopoietic system liver kidney and/or bladder	Not classified	Rat	NOAEL 2,500 mg/kg/day	104 weeks
C9-11 Alcohols Ethoxylated	Dermal	kidney and/or bladder heart hematopoietic system liver nervous system respiratory system	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
Fragrance	Dermal	skin liver hematopoietic system nervous system kidney and/or bladder	Not classified	Rat	NOAEL 1,000 mg/kg/day	13 weeks
Fragrance	Inhalation	respiratory system heart endocrine system gastrointestinal tract hematopoietic system liver immune system muscles nervous system kidney	Not classified	Rat	NOAEL 0.14 mg/l	31 days

		and/or bladder vascular system				
Fragrance	Ingestion	heart skin endocrine system gastrointestinal tract bone, teeth, nails, and/or hair hematopoietic system liver immune system muscles nervous system eyes kidney and/or bladder respiratory system	Not classified	Rat	NOAEL 301 mg/kg/day	13 weeks
Acid Blue 9	Ingestion	heart skin endocrine system gastrointestinal tract bone, teeth, nails, and/or hair hematopoietic system liver immune system muscles nervous system eyes kidney and/or bladder respiratory system vascular system	Not classified	Rat	NOAEL 1,072 mg/kg/day	30 months

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information**Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

SECTION 13: Disposal considerations**13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

EPA Hazardous Waste Number (RCRA): D002 (Corrosive)

SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information**15.1. US Federal Regulations****EPCRA 311/312 Hazard Classifications:****Physical Hazards**

Not applicable

Health Hazards

Hazard Not Otherwise Classified (HNOC)

Serious eye damage or eye irritation

Skin Corrosion or Irritation

15.2. State Regulations**15.3. Chemical Inventories**

The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the new substance notification requirements of CEPA.

The components of this material are in compliance with the China "Measures on Environmental Management of New Chemical Substance". Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of the Korean Toxic Chemical Control Law. Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

15.4. International Regulations

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information**NFPA Hazard Classification**

Health: 3 **Flammability:** 1 **Instability:** 0 **Special Hazards:** None

Acid/Base: Acid **Corrosive:** Yes

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Document Group: 22-4730-2
Issue Date: 07/17/24

Version Number: 12.01
Supersedes Date: 06/03/24

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M USA SDSs are available at www.3M.com