

Semi-automatics  
Catalogue



# Contact Us

## ROBOPAC USA Office


2150 Boggs Rd Suite 200  
Duluth, GA 30096  
Telephone: 678-473-7896  
Fax: 678-473-1025  
[info.usa@robopac.com](mailto:info.usa@robopac.com)

## Parts Department

2150 Boggs Road, Suite 200  
Duluth, GA 30096  
Telephone: 770-473-7896, then Option 2  
Fax: 678-473-1025  
[parts.usa@robopac.com](mailto:parts.usa@robopac.com)

## Service Department

[Visit Our Knowledge Base](#)  
Phone: 770-473-7896, then Option 3  
After Hours Phone: 770-622-6617  
Fax: 678-473-1025  
[service.usa@robopac.com](mailto:service.usa@robopac.com)



## Semi-Automatic Sales Territories



## SEMI-AUTOMATIC SALES TEAM

**DAVID BROOKS**  
NATIONAL DISTRIBUTION SALES MANAGER  
678-907-8693  
[dbrooks@robopac.com](mailto:dbrooks@robopac.com)

**KENNY CARGILL**  
RSM (WEST)  
678-975-8726  
[kcargill@robopac.com](mailto:kcargill@robopac.com)

**TYNG WU**  
RSM (MIDWEST)  
678-467-7932  
[twu@robopac.com](mailto:twu@robopac.com)

**KEVIN OSBORNE**  
RSM (SOUTH CENTRAL)  
678-704-3532  
[kosborne@robopac.com](mailto:kosborne@robopac.com)

**MIKE MINGLE**  
RSM (SOUTHEAST)  
678-520-4622  
[mmingle@robopac.com](mailto:mmingle@robopac.com)

**DAVIDE LETIZIA**  
RSM (NORTHEAST)  
678-308-1769  
[dletizia@robopac.com](mailto:dletizia@robopac.com)

**MERABAN IZADI**  
KEY ACCOUNTS MANAGER  
678-478-8267  
[mizadi@robopac.com](mailto:mizadi@robopac.com)





DELIVER **EXACTLY**  
THE RIGHT AMOUNT OF FILM  
AT **EXACTLY**  
THE RIGHT POSITION  
WITH **EXACTLY**  
THE RIGHT CONTAINMENT FORCE

- REDUCES FILM COST by 35% to 55%
- IMPROVES LOAD CONTAINMENT
- REDUCES PRODUCT DAMAGE by 40%

Multi-level<sup>variable</sup>  
**pre-stretch**



Multi-level<sup>variable</sup>  
**containment force**



Strategic<sup>film</sup>  
**placement**



ProActive<sup>corner</sup>  
**compensation**



**REMOTELY MONITOR YOUR BUSINESS, NOW MORE THAN EVER**

Innovation and connection at the customer service

**BENEFITS:**

1. Performance optimization & remote monitoring
2. Predictive maintenance
3. Downtime reduction
4. Plug & Play
5. Industry 4.0



- Industry 4.0 system that uses **cellular technology**
- Transmits vital information such as film consumption, machine run time statistics, equipment fault information, and diagnostic information to an ultra-secure ISO 27001:2013 Chapter EA33, tier 4 cloud server.
- Authorized users can access this information with the R-Connect app using an internet-connected computer or mobile device.
- Because we use cellular technology, we do not have to work through the IT infrastructure of the customer.
- **As a dealer**, R-Connect allows you to view the operation of the equipment and can be used to help determine your customer's film consumption to ensure that proper stock levels are maintained.



Over \$2M in parts in inventory.

87% of parts ship the same day.

If it is an emergency, a service technician can be on site same day.

In most cases a service technician is on site within 24-48 hours.

Robopac USA has over 250 machines in stock.

Most semi-automatic stretch wrapper standard configurations ship within 48 hours.



# Semi-automatic Stretch Wrappers

## - Portable / Turntables



### Robot S7

- 30 loads/hr
- Cube Technology
- R-connect
- 86" or 110" wrap height
- 1 year warranty



### Ecoplat

- 25 loads/hr
- R-connect ready
- 86" or 110" wrap height
- 3 year warranty



### Masterplat

- 30 loads/hr
- Cube Technology
- R-connect ready
- 86" wrap height
- 3 year warranty



### Rotoplat 708

- 30 loads/hr
- Cube Technology
- R-connect
- 86" or 110" wrap height
- 5 year warranty



### LP Rotoplat 508/708

- 30 loads/hr
- Cube Technology
- R-connect ready
- 110" wrap height
- 5 year warranty



### Rotoplat 508 DW/DW-C

- 30 loads/hr
- Cube Technology
- R-connect ready
- 100" wrap height
- 5 year warranty



### Rotoplat SS 508/708

- 30 loads/hr
- Cube Technology
- R-connect ready
- 86" wrap height
- 5 year warranty



### Technoplat 708 CS/CW

- 40 loads/hr
- Cube Technology
- R-connect
- 86" or 110" wrap height
- 5 year warranty



### Weighing System Kit

- Moving to separate scale = 30-90 sec. of double handling loads = \$7000 to \$15000 wasted labor over 5 years.
- Retrofits to existing machines

# Semi-automatic Stretch Wrappers - Rotary arms and Horizontals



## Masterwrap HD XL

- 25 loads/hr
- R-connect ready
- 78" wrap height
- 1 year warranty



## Rotary 708

- 30 loads/hr
- Cube Technology
- R-connect ready
- 80" wrap height
- 1 year warranty



## Rototech 708 CS/CW

- 40 loads/hr
- Cube Technology
- R-connect ready
- 80" wrap height
- 1 year warranty



## Compacta Series

- Max rotation speed: 58-150 RPM
- Wrapping cycle: continuous or banding
- 1 year warranty



## Compacta SPR

- Suspension packaging
- Max rotation speed: 120-160 RPM
- Wrapping cycle: continuous or banding
- 1 year warranty



## Compacta SPG

- Max rotation speed: 120-160 RPM
- Wrapping cycle: continuous or banding
- 1 year warranty



## Orbit R

- Max rotation speed: 80-180 RPM
- Wrapping cycle: fully automatic, banding, or head tail only
- 1 year warranty



## Orbit 16

- Windows, doors and large product
- Max rotation speed: 70 RPM
- Wrapping cycle: fully automatic, banding or head tail only
- 1 year warranty



## Spiror HP Series

- Max rotation speed: 130-260 RPM
- Wrapping cycle: continuous or banding
- 1 year warranty



## Spiror HP/DR Series

- Dual roll (DR)
- Max rotation speed: 130-220 RPM
- Wrapping cycle: continuous or banding
- 1 year warranty





### Robotape 50 ME LH

- Economy low height cases version of the M model.
- Semi-automatic fixed format taping machines for low boxes.
- 1 year warranty



### Robotape 50 ME

- Economy version of M model.
- Side drive for sealing fixed format box.
- 1 year warranty



### Robotape 50 M

- Entry-level version of this range.
- Uses side drive for sealing fixed format boxes.
- 1 year warranty



### Robotape 50 M INOX

- Stainless steel version (INOX), for use in the food, dairy, and beverage fields.
- Ideal for wash down environments and areas with high humidity.
- 1 year warranty



### Robotape 50 TBDE

- Economy version, bridge structure, case taper with a non-floating tape head.
- Top and bottom drive for sealing fixed format boxes.
- 1 year warranty



### Robotape TBD

- Case taping machines with top and bottom drive for sealing fixed format boxes.
- Includes floating tape head.
- 1 year warranty



### Robotape 50 TBD INOX

- Stainless steel version for use in the food, dairy, and beverage fields. For wash down environments and areas with high humidity.
- Floating tape head
- 1 year warranty



### Robotape TBDA

- Case taping machines with top and bottom drive for sealing random size boxes.
- 1 year warranty



### Robotape CF

- Automatic flap folding side belt driven case taper for uniform size boxes.
- 1 year warranty



### Robotape CF INOX

- Stainless steel automatic flap folding case taper for fixed case sizes
- 1 year warranty



### Robotape 50 CFA

- For random-size boxes.
- Side-belt-driven technology and features an automatic top-flap folding device.
- 1 year warranty

**Key:**  
 E= Economy  
 LH= Low Height  
 INOX= Stainless Steel  
 CF= Closes Flaps (Automatic Machine)  
 TBD= Top & Bottom Belts  
 A= Random case sizes

DOWNLOAD MY CASE APP

Enter your box dimensions and configure your case taping machine.



For information on our full line of automatic stretch wrappers, case packers, palletizers, de-palletizers, and LGV, see our Automatic Systems Catalogue.



Robopac USA  
2150 Boggs Road, Suite 200  
Duluth, GA 30096

Copyright © 2023 Robopac USA, All rights reserved.